

Alternative Labs  
4740 S Cleveland Ave  
  
Fort Myers, FL, 33907

Certificate ID # : 1099381-6  
Report Date: 02-14-2023  
Customer PO # : 11718  
Receipt Date: 02-10-2023  
Sample Completion Date: 02-14-2023

### Analytical Testing Results

Lab Sample ID: S-20230209-2373  
Customer Lot # A08727429-1

Serving Size: 0 g  
Calculated Serving Size:

Description: LIV-FG-0011\_Vanilla Protein

Test Method Description	Analyte	Specification	Result	U/M	Completion Date
GL-500 Determination of Arsenic by ICP*	Arsenic (As)	<1.0	0.0102	ppm	02-14-23
GL-500 Determination of Cadmium by ICP*	Cadmium (Cd)	<1.0	0.0338	ppm	02-14-23
GL-500 Determination of Lead by ICP*	Lead (Pb)	<0.5	0.0125	ppm	02-14-23
GL-500 Determination of Mercury by ICP*	Mercury (Hg)	<0.1	<0.00572	ppm	02-14-23

Laboratory Comments:  
N/A

Reviewed By: Sabrina Walton

Approved By: 

Date: 02-14-2023

Edgar Grigorian, Laboratory Director  
On Behalf of Dyad Labs

#### Laboratory Notes:

Samples were received in acceptable condition unless otherwise noted in the laboratory comments section. This report may not be distributed or reproduced except in full, without written permission from Dyad Labs. Client shall not at any time misrepresent or alter the contents of this report. Any violation of these conditions voids this report. Dyad Labs assumes no responsibility, and client hereby waives all claims against Dyad Labs, for interpretation of such results. The results apply only to the sample(s) provided by the client. All work is done in accordance with Dyad Labs Terms and Conditions of Sale. Full text available on [www.dyadlabs.com/Terms](http://www.dyadlabs.com/Terms). ISO/IEC 17025:2017 accreditation #71216, certificate #L21-39. The validity of this accreditation certificate should be confirmed through the PJLA website: [www.pjla.com](http://www.pjla.com).

\* - ISO/IEC 17025:2017 Accredited Test